NSN 5920-00-914-7468

Extractor Post Fuseholder - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5920-00-914-7468 **Body Material:** Plastic, diallyl phthalate, mil-m-19833, type gdi-30f **Body Style:** Panel mounted type **Overall Length:** 1.159 inches **Bushing Diameter:** 0.625 inches **Mounting Hole Quantity: Overall Diameter:** 0.687 inches **Environmental Protection:** Dripproof **Mounting Hole Style: Bushing mounting** Lens Color: Clear **Contact Material:** Copper **Contact Surface Treatment:** Any acceptable **Interruption Indicator Method:** Neon lamp **End Application:** Helicopter, sof/hh-53h pave low; an/srn-2 (v) navigation radio set; helicopter, search and rescue, hh-60h; helicopter, carrier based asw, sh-60f; sonar, an/bsy-1(v); support equipment, h-3 helicopter; helicopter, uscg search and rescue, hh-60j; los angeles class ssn (688); support equipment, b-1 aircraft; communications systems, an/wrr-7 **Fuse Accommodation Quantity: Accommodated Fuse Length:** 0.460 inches **Accommodated Ferrule Diameter:** 0.235 inches **Resistor Rating:** 120.0 kilohms **Indicating Lamp Voltage Range In Volts:** +90.0/+125.0

Length From Front Protrusion To Mounting Surface:

0.550 inches

Bushing Thread Length:

0.500 inches

Bushing Hole Diameter:

Between 0.625 inches and 0.635 inches

NSN 5920-00-914-7468Extractor Post Fuseholder - Page 2 of 2



Flatted Side Bushing Hole Length:
Between 0.570 inches and 0.575 inches
Current Carrying Rating In Amps:
5.0
Criticality Code Justification:
Feat
Fuse Terminal Type Accommodated:
Pin
Voltage In Volts:
125.0
Special Features:
Weapon system essential
Test Data Document:
81349-mil-f-19207 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
2 tab, solder lug
Specification Data:
81349-mil-f-19207/29 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A014a0