## NSN 5920-00-926-3104



Cartridge Fuse - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5920-00-926-3104 **Body Style:** Plug-in type **Terminal Material:** Copper **Terminal Surface Treatment:** Nickel **Overall Length:** Between 0.508 inches and 0.528 inches **Terminal Length:** Between 0.160 inches and 0.180 inches **Body Length:** Between 0.338 inches and 0.358 inches **Overall Diameter:** Between 0.240 inches and 0.260 inches **Case Material:** Glass **Continuous Current Rating In Amps:** 0.005 **Terminal Diameter:** Between 0.024 inches and 0.026 inches **Center To Center Distance Between Mounting Facilities Parallel To Diameter:** Between 0.100 inches and 0.108 inches **Maximum Voltage Rating In Volts:** 125.0 ac and 125.0 dc **Circuit Over-current Interruption Type:** Normal instantaneous **Interruption Indicator Method:** Visible element **Features Provided:** Nonrenewable fusible element **Short-circuit/interrupt Current Rating In Amps:** 10000.0 **Test Data Document:** 81349-mil-f-23419 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Specification Data:** 81349-mil-f-23419/2 government specification

**Demilitarization:** 

**Unit Of Measure:** 

Shelf Life:

No

N/a

## **NSN 5920-00-926-3104**Cartridge Fuse - Page 2 of 2



Fiig:

A01700