

View Online at <https://aerobasegroup.com/nsn/5920-00-926-7464>

**Body Material:**

Plastic, mil-p-14, type mai-60

**Body Style:**

Bushing mounted type

**Overall Length:**

3.025 inches

**Bushing Diameter:**

Any acceptable

**Mounting Hole Quantity:**

1

**Overall Diameter:**

1.380 inches

**Panel Thickness:**

0.125 inches

**Environmental Protection:**

Watertight and body sealed

**Mounting Hole Style:**

Bushing mounting

**Lens Color:**

Amber

**Contact Material:**

Beryllium copper

**Contact Surface Treatment:**

Any acceptable

**Interruption Indicator Method:**

Neon lamp

**Fuse Accommodation Quantity:**

1

**Accommodated Fuse Length:**

1.500 inches

**Accommodated Ferrule Diameter:**

0.406 inches

**Resistor Rating:**

330.0 kilohms

**Indicating Lamp Voltage Range In Volts:**

+23.0/+33.0

**Length From Front Protrusion To Mounting Surface:**

1.120 inches

**Bushing Thread Length:**

Any acceptable

**Cap Diameter:**

Between 1.230 inches and 1.270 inches

**Bushing Hole Diameter:**

Between 1.126 inches and 1.131 inches

**Flatted Side Bushing Hole Length:**

Between 1.067 inches and 1.072 inches

**Screw Thread Diameter:**

0.190 inches

**Screw Thread Qty Per Inch (tpi):**

32.0

**Current Carrying Rating In Amps:**

30.0

**Fuse Terminal Type Accommodated:**

Ferrule

**Voltage In Volts:**

33.0

**Test Data Document:**

81349-mil-f-19207 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Terminal Type And Quantity:**

1 threaded stud and 1 screw

**Specification Data:**

81349-mil-f-19207/24 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A014a0