NSN 5920-00-931-0593



Cartridge Fuse - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5920-00-931-0593 **Body Style:** Plug-in type **Terminal Material:** Copper **Terminal Surface Treatment:** Nickel **Overall Length:** 0.518 inches **Terminal Length:** 0.170 inches **Body Length:** 0.348 inches **Overall Diameter:** 0.250 inches **Continuous Current Rating In Amps:** 4.000 **Terminal Diameter:** 0.025 inches Center To Center Distance Between Mounting Facilities Parallel To Diameter: Between 0.100 inches and 0.108 inches **Maximum Voltage Rating In Volts:** 125.0 ac and 125.0 dc **Circuit Over-current Interruption Type:** Time delay **Interruption Indicator Method:** Visible element **Features Provided:** Nonrenewable fusible element Circuit Over-current Interruption Delay Time In Seconds: 10.0 200 pct of current rating **Short-circuit/interrupt Current Rating In Amps:** 300.0 **Test Data Document:** 81349-mil-f-23419 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Specification Data:** 81349-mil-f-23419/2 government specification Shelf Life: N/a

No

Unit Of Measure:

Demilitarization:

NSN 5920-00-931-0593Cartridge Fuse - Page 2 of 2



Fiig:

A01700