## NSN 5920-00-931-4232

Block Fuseholder - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5920-00-931-4232 **Body Material:** Plastic **Body Style:** Clip connected type **Terminal Material: Brass Terminal Surface Treatment:** Any acceptable **Overall Length:** 2.380 inches **Overall Height:** 0.700 inches **Overall Width:** 2.590 inches **Mounting Hole Diameter:** 0.138 inches **Mounting Hole Quantity: Base Thickness:** 0.250 inches **Mounting Hole Style:** In-line along the length **Contact Material:** Any acceptable **Contact Surface Treatment:** Any acceptable **Fuse Accommodation Quantity: Accommodated Fuse Length:** 1.250 inches **Accommodated Ferrule Diameter:** 0.250 inches Center To Center Distance Between Outside Mounting Holes Along Length: 0.062 inches **Screw Thread Diameter:** 0.164 inches Screw Thready Qty Per Inch (tpi): 32.0 **Current Carrying Rating In Amps:** 

**Internal Circuit Configuration And Pole Quantity:** 

3 pole, mainline, fused

## **NSN 5920-00-931-4232** Block Fuseholder - Page 2 of 2



| Fuse Terminal Type Accommodated:   |
|--|
| Ferrule  |
| Voltage In Volts:  |
| 250.0  |
| Test Data Document:  |
| 81349-mil-f-21346 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain          |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).                            |
| Terminal Type And Quantity:  |
| 6 screw  |
| Specification Data:  |
| 81349-mil-f-21346/3 government specification   |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
| <del></del>  |
| Demilitarization:  |
| No   |
| Fiig:  |
| A014a0   |