

View Online at <https://aerobasegroup.com/nsn/5920-00-954-3079>

Body Material:

Plastic

Body Style:

Panel mounted type

Overall Length:

Between 2.150 inches and 2.230 inches

Overall Height:

Between 2.260 inches and 2.300 inches

Overall Width:

Between 2.040 inches and 2.080 inches

Mounting Hole Diameter:

Between 0.147 inches and 0.157 inches

Mounting Hole Quantity:

1 and 3

Panel Thickness:

0.187 inches

Environmental Protection:

Watertight

Mounting Hole Style:

Panel mounting w/2 or 3 holes

Contact Material:

Any acceptable

Contact Surface Treatment:

Silver plated, qq-s-365

Interruption Indicator Method:

Neon lamp

Fuse Accommodation Quantity:

2

Accommodated Fuse Length:

1.500 inches

Accommodated Ferrule Diameter:

0.406 inches

Resistor Rating:

330.0 kilohms and 330.0 kilohms

Indicating Lamp Voltage Range In Volts:

+90.0/+500.0 and +90.0/+500.0

Length From Front Protrusion To Mounting Surface:

Between 1.170 inches and 1.210 inches

Cap Diameter:

Between 0.600 inches and 0.640 inches

Mounting Hole Height:

Between 1.820 inches and 1.860 inches

Mounting Hole Width:

Between 1.540 inches and 1.580 inches

Center To Center Distance Between Outside Mounting Holes Along Length:

Between 1.950 inches and 1.960 inches

Center To Center Distance Between Outside Mounting Holes Along Width:

Between 0.990 inches and 1.000 inches

Screw Thread Diameter:

0.164 inches

Screw Thread Qty Per Inch (tpi):

32.0

Current Carrying Rating In Amps:

30.0

Fuse Terminal Type Accommodated:

Ferrule

Voltage In Volts:

500.0

Precious Material And Location:

Contact surfaces silver

Precious Material:

Silver

Test Data Document:

81349-mil-f-19207 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

4 threaded stud

Specification Data:

81349-mil-f-19207/23 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A014a0