# NSN 5920-01-019-5921

Cartridge Fuse - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5920-01-019-5921

# Body Style:

Tube type

**Terminal Material:** 

Brass or copper or copper alloy

**Terminal Surface Treatment:** 

Nickel plated

## **Overall Length:**

1.250 inches

#### **Overall Diameter:**

0.250 inches

Case Material:

Ceramic or plastic

**Continuous Current Rating In Amps:** 

0.300

Maximum Voltage Rating In Volts:

250.0 ac and 250.0 dc

**Circuit Over-current Interruption Type:** 

Time delay

#### Interruption Indicator Method:

Opaque body

## **Features Provided:**

Nonrenewable fusible element

#### Circuit Over-current Interruption Delay Time In Seconds:

12.0 200 pct of current rating

#### Short-circuit/interrupt Current Rating In Amps:

35.0

#### Test Data Document:

81349-mil-f-15160 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-f-15160/3 government specification

Shelf Life:

N/a

#### Unit Of Measure:

--

Demilitarization:

No

Fiig:

A01700