# NSN 5920-01-044-2685

Cartridge Fuse - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5920-01-044-2685

# Body Style:

Axial terminal type

#### **Terminal Material:**

Brass

# **Terminal Surface Treatment:**

Nickel

#### **Overall Length:**

2.750 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.250 inches

#### Mounting Slot Width:

0.266 inches

#### **Body Length:**

1.625 inches

#### **Overall Diameter:**

# 0.562 inches

**Case Material:** 

Fiber

# **Continuous Current Rating In Amps:**

3.000

# **Terminal Width:**

0.500 inches

# Maximum Voltage Rating In Volts:

125.0 ac and 125.0 dc

# **Circuit Over-current Interruption Type:**

Time delay

# Interruption Indicator Method:

Opaque body

# **Features Provided:**

Nonrenewable fusible element

# Circuit Over-current Interruption Delay Time In Seconds:

30.0 300 pct of current rating

# Short-circuit/interrupt Current Rating In Amps:

10000.0

#### Test Data Document:

81349-mil-f-15160 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-f-15160/36 government specification

Shelf Life:

N/a

#### Unit Of Measure:

# NSN 5920-01-044-2685

Cartridge Fuse - Page 2 of 2

Demilitarization:

No

Fiig:

A01700

