## NSN 5920-01-093-6330

Extractor Post Fuseholder - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5920-01-093-6330 **Body Material:** Plastic, phenolic, moulded **Body Style:** Bushing mounted type **Terminal Material: Brass Terminal Surface Treatment:** Electrotinned **Overall Length:** 2.812 inches **Bushing Diameter:** 0.625 inches **Overall Width:** Any acceptable **Body Diameter:** 0.812 inches **Mounting Hole Quantity: Environmental Protection:** Vibration proof **Mounting Hole Style: Bushing mounting Lens Color:** Clear **Contact Material:** Any acceptable **Contact Surface Treatment:** Any acceptable **Interruption Indicator Method:** Neon lamp **Fuse Accommodation Quantity: Accommodated Fuse Length:** 1.250 inches **Accommodated Ferrule Diameter:** 0.250 inches **Resistor Rating:** 220.0 kilohms **Indicating Lamp Voltage Range In Volts:** +90.0/+250.0

**Length From Front Protrusion To Mounting Surface:** 

1.188 inches

## **NSN 5920-01-093-6330**Extractor Post Fuseholder - Page 2 of 2



Bushing Thread Length:
0.438 inches
Cap Diameter:
Any acceptable
Bushing Hole Diameter:
Between 0.625 inches and 0.635 inches
Flatted Side Bushing Hole Length:
Between 0.585 inches and 0.595 inches
Current Carrying Rating In Amps:
20.0
Fuse Terminal Type Accommodated:
Ferrule
Voltage In Volts:
250.0
Terminal Type And Quantity:
2 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A014a0