

View Online at <https://aerobasegroup.com/nsn/5920-01-155-7684>

Body Material:

Plastic, polyester, mil-m-14, type mai-60

Body Style:

Bushing mounted type

Terminal Material:

Any acceptable

Terminal Surface Treatment:

Any acceptable

Overall Length:

2.960 inches

Mounting Hole Quantity:

1

Overall Diameter:

1.514 inches

Panel Thickness:

0.060 inches

Environmental Protection:

Watertight

Mounting Hole Style:

Bushing mounting

Contact Material:

Any acceptable

Contact Surface Treatment:

Any acceptable

End Application:

Electrolytic oxygen generator. Ohio class ssn ship (trident), los angeles class ssn (688), sturgeon class ssn (637). Ventilation. Oxygen generation plant. Submarine auxiliary and miscellaneous systems. Submarine atmosphere control and compressed air/gas. Trident hull structure.

Fuse Accommodation Quantity:

1

Accommodated Fuse Length:

1.500 inches

Accommodated Ferrule Diameter:

0.406 inches

Length From Front Protrusion To Mounting Surface:

1.120 inches

Bushing Thread Length:

1.780 inches

Cap Diameter:

1.250 inches

Bushing Hole Diameter:

1.126 inches

Flatted Side Bushing Hole Length:

1.067 inches

Screw Thread Diameter:

0.190 inches

Screw Thready Qty Per Inch (tpi):

32.0

Current Carrying Rating In Amps:

30.0

Criticality Code Justification:

Feat

Fuse Terminal Type Accommodated:

Ferrule

Voltage In Volts:

45.0

Special Features:

Weapon system essential

Terminal Type And Quantity:

1 threaded stud and 1 screw

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A014a0