

View Online at <https://aerobasegroup.com/nsn/5920-01-161-8120>

**Body Style:**

Tube type

**Terminal Material:**

Brass or copper or copper alloy

**Terminal Surface Treatment:**

Nickel

**Overall Length:**

5.000 inches

**Overall Diameter:**

0.812 inches

**Case Material:**

Fiber or ceramic or plastic, melamine, glass filled

**Continuous Current Rating In Amps:**

20.000

**Maximum Voltage Rating In Volts:**

600.0 ac and 600.0 dc

**Circuit Over-current Interruption Type:**

Time delay

**Interruption Indicator Method:**

Opaque body

**Features Provided:**

Nonrenewable fusible element

**Circuit Over-current Interruption Delay Time In Seconds:**

10.0 500 pct of current rating

**Short-circuit/interrupt Current Rating In Amps:**

200000.0

**Special Features:**

Groove in one ferrule prevents use of class h fuses equipment designed for class r type

**Test Data Document:**

81348-w-f-1814 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Specification Data:**

81348-w-f-1814/62 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A01700