# NSN 5920-01-169-4112

Cartridge Fuse - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5920-01-169-4112

## Body Style:

Tube type

**Terminal Material:** 

Brass or copper or copper alloy

Terminal Surface Treatment:

Nickel

#### **Overall Length:**

2.250 inches

**Overall Diameter:** 

0.406 inches

## Case Material:

Fiber or ceramic or plastic, melamine, glass filled

## **Continuous Current Rating In Amps:**

40.000

## Maximum Voltage Rating In Volts:

300.0 ac and 300.0 dc

## **Circuit Over-current Interruption Type:**

Time delay

## Interruption Indicator Method:

Opaque body

## **Features Provided:**

Nonrenewable fusible element

## Circuit Over-current Interruption Delay Time In Seconds:

12.0 200 pct of current rating

## Short-circuit/interrupt Current Rating In Amps:

100000.0

## **Test Data Document:**

81349-w-f-1814 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-w-f-1814/4 government specification

```
Shelf Life:
N/a
Unit Of Measure:
```

## Demilitarization:

No

Fiig:

A01700