NSN 5920-01-192-5166

Extractor Post Fuseholder - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5920-01-192-5166 **Body Material:** Plastic, polyester, mil-m-14, type mai-60 **Body Style:** Panel mounted type **Terminal Material:** Steel **Overall Length:** 2.000 inches **Overall Height:** 2.090 inches **Overall Width:** 1.810 inches **Mounting Hole Diameter:** 0.152 inches **Mounting Hole Quantity: Panel Thickness:** 0.187 inches **Environmental Protection:** Watertight **Mounting Hole Style:** Panel mounting w/2 or 3 holes **Lens Color:** Amber **Contact Material:** Copper **Contact Surface Treatment:** Nickel plated **Interruption Indicator Method:** Test hole **Fuse Accommodation Quantity: Accommodated Fuse Length:** 1.250 inches **Accommodated Ferrule Diameter:** 0.250 inches **Resistor Rating:** 120.0 kilohms **Indicating Lamp Voltage Range In Volts:**

. .. =

Length From Front Protrusion To Mounting Surface:

1.060 inches

NSN 5920-01-192-5166Extractor Post Fuseholder - Page 2 of 2



Cap Diameter:
0.625 inches
Mounting Hole Height:
1.590 inches
Mounting Hole Width:
1.380 inches
Center To Center Distance Between Outside Mounting Holes Along Length:
1.780 inches
Center To Center Distance Between Outside Mounting Holes Along Width:
0.875 inches
Screw Thread Diameter:
0.164 inches
Screw Thready Qty Per Inch (tpi):
32.0
Current Carrying Rating In Amps:
30.0
Fuse Terminal Type Accommodated:
Ferrule
Voltage In Volts:
250.0
Terminal Type And Quantity:
4 threaded stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A014a0