## NSN 5920-01-228-8697

Cartridge Fuse - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5920-01-228-8697 **Body Style:** Axial terminal type **Terminal Material:** Copper or copper alloy **Overall Length: 7.875** inches **Mounting Slot Width:** 0.281 inches **Body Length:** 5.578 inches **Overall Diameter:** 1.560 inches **Case Material:** Fiber or ceramic or plastic, melamine, glass filled **Continuous Current Rating In Amps:** 100.000 **Terminal Width:** 0.750 inches **Terminal Thickness:** 0.125 inches **Maximum Voltage Rating In Volts:** 600.0 ac and 600.0 dc **Circuit Over-current Interruption Type:** Time delay **Interruption Indicator Method:** Opaque body **Features Provided:** Nonrenewable fusible element Circuit Over-current Interruption Delay Time In Seconds: 10.0 500 pct of current rating **Short-circuit/interrupt Current Rating In Amps:** 200000.0 **Test Data Document:** 81348-w-f-1814 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental

**Specification Data:** 

81348-w-f-1814/64 government specification

and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

## **NSN 5920-01-228-8697** Cartridge Fuse - Page 2 of 2



Fiig:

A01700