NSN 5920-01-229-2678



Cartridge Fuse - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5920-01-229-2678 **Body Style:** Tube type **Terminal Material:** Brass or copper or copper alloy **Terminal Surface Treatment:** Nickel **Overall Length:** 2.250 inches **Overall Diameter:** 0.812 inches **Case Material:** Ceramic or plastic, melamine, glass filled **Continuous Current Rating In Amps:** 6.000 **Fragility Factor:** Moderately rugged **Maximum Voltage Rating In Volts:** 600.0 ac and 600.0 dc **Circuit Over-current Interruption Type:** Time delay **Interruption Indicator Method:** Opaque body **Features Provided:** Nonrenewable fusible element **Circuit Over-current Interruption Delay Time In Seconds:** 120.0 200 pct of current rating **Short-circuit/interrupt Current Rating In Amps:** 200000.0 **Test Data Document:** 81348-w-f-1814 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Specification Data:** 81348-w-f-1814/5 government specification Shelf Life: N/a **Unit Of Measure:**

No Fiig:

Demilitarization:

A01700