# NSN 5920-01-250-8793

Cartridge Fuse - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5920-01-250-8793

#### **Body Style:**

Rejection groove type

#### **Terminal Material:**

Brass or copper or copper alloy

#### **Overall Length:**

5.000 inches

#### **Overall Diameter:**

0.812 inches

#### **Case Material:**

Fiber or ceramic or plastic, melamine, glass filled

## **Continuous Current Rating In Amps:**

25.000

Maximum Voltage Rating In Volts:

600.0 ac and 600.0 dc

**Circuit Over-current Interruption Type:** 

Time delay

# Interruption Indicator Method:

Opaque body

#### **Features Provided:**

Nonrenewable fusible element

#### Circuit Over-current Interruption Delay Time In Seconds:

10.0 500 pct of current rating

### Short-circuit/interrupt Current Rating In Amps:

200000.0

#### **Test Data Document:**

81348-w-f-1814 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81348-w-f-1814/62 government specification

#### Shelf Life:

N/a

## Unit Of Measure:

--

#### Demilitarization:

No

# Fiig:

A01700