NSN 5920-01-259-3152

View Online at https://aerobasegroup.com/nsn/5920-01-259-3152

Cartridge Fuse - Page 1 of 2



Body Style: Axial terminal type **Terminal Material:** Copper or copper alloy **Overall Length:** 9.625 inches **Mounting Slot Width:** 0.281 inches **Body Length:** Between 6.125 inches and 6.781 inches **Overall Diameter:** 2.120 inches **Case Material:** Fiber or ceramic or plastic, melamine, glass filled **Continuous Current Rating In Amps:** 175.000 **Terminal Width:** 1.125 inches **Terminal Thickness:** 0.188 inches **Maximum Voltage Rating In Volts:** 600.0 ac and 600.0 dc **Circuit Over-current Interruption Type:** Time delay **Interruption Indicator Method:** Opaque body **Features Provided:** Nonrenewable fusible element

10.0 500 pct of current rating

Short-circuit/interrupt Current Rating In Amps:

Circuit Over-current Interruption Delay Time In Seconds:

200000.0

Test Data Document:

81348-w-f-1814 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81348-w-f-1814/65 government specification

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

NSN 5920-01-259-3152Cartridge Fuse - Page 2 of 2



Fiig:

A01700