NSN 5920-01-316-5858

Block Fuseholder - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5920-01-316-5858

| Body Material: |
|---|
| Plastic, phenolic, moulded |
| Body Style: |
| Side barrier type |
| Terminal Material: |
| Copper alloy |
| Terminal Surface Treatment: |
| Nickel plated |
| Overall Length: |
| 1.400 inches |
| Overall Height: |
| 0.530 inches |
| Overall Width: |
| 0.500 inches |
| Mounting Hole Diameter: |
| 0.146 inches |
| Mounting Hole Quantity: |
| 1 |
| Base Thickness: |
| 0.250 inches |
| Mounting Hole Style: |
| One hole mounting |
| Fragility Factor: |
| Moderately rugged |
| Contact Material: |
| Copper alloy |
| Contact Surface Treatment: |
| Nickel plated |
| Fuse Accommodation Quantity: |
| 1 |
| Accommodated Fuse Length: |
| 1.250 inches |
| Accommodated Ferrule Diameter: |
| 0.250 inches |
| Current Carrying Rating In Amps: |
| 30.0 |
| Internal Circuit Configuration And Pole Quantity: |
| 1 pole, mainline, fused |
| Fuse Terminal Type Accommodated: |
| Ferrule |
| Voltage In Volts: |
| 300.0 |

NSN 5920-01-316-5858

Block Fuseholder - Page 2 of 2



| Termina | I Type | And C | Quantity: |
|-------------|--------|--------|-----------|
| ı Cı illili | IIVDE | Allu V | zuannıv. |

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A014a0