NSN 5920-01-325-8842

Block Fuseholder - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5920-01-325-8842

Body Material:
Plastic, phenolic, moulded
Body Style:
Side barrier type
Overall Length:
4.750 inches
Overall Height:
2.120 inches
Overall Width:
2.860 inches
Mounting Hole Diameter:
0.210 inches
Mounting Hole Quantity:
4
Base Thickness:
0.730 inches
Mounting Hole Style:
4 hole mounting-irregular spaced
Fragility Factor:
Moderately rugged
Contact Material:
Copper
Shortest Center To Center Distance Between Mounting Holes Along Length:
0.500 inches
Fuse Accommodation Quantity:
2
Accommodated Fuse Length:
3.000 inches
Accommodated Ferrule Diameter:
0.813 inches
Center To Center Distance Between Outside Mounting Holes Along Length:
1.820 inches
Center To Center Distance Between Outside Mounting Holes Along Width:
1.250 inches
Center To Center Distance Between Inside Mounting Holes Along Length:
0.500 inches
Current Carrying Rating In Amps:
60.0
Internal Circuit Configuration And Pole Quantity:
2 pole, mainline, fused
Fuse Terminal Type Accommodated:

Ferrule

NSN 5920-01-325-8842

Block Fuseholder - Page 2 of 2



Voltage In Volts:
250.0
Tamainal Tuna A

Terminal Type And Quantity:

4 compression

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A014a0