

View Online at <https://aerobasegroup.com/nsn/5920-01-506-7720>

**Body Material:**

Plastic, diallyl phthalate, mil-m-14, type sdg

**Body Style:**

Rear panel mounted type

**Overall Length:**

Between 3.750 inches and 4.000 inches

**Overall Height:**

1.200 inches

**Overall Width:**

1.070 inches

**Keyway Width:**

0.105 inches

**Mounting Hole Diameter:**

0.156 inches

**Mounting Hole Quantity:**

2

**Environmental Protection:**

Dripproof

**Mounting Hole Style:**

Bushing mounting w/2 holes and keyway

**Contact Material:**

Beryllium copper

**Contact Surface Treatment:**

Any acceptable

**Interruption Indicator Method:**

Incandescent lamp

**End Application:**

Panel, gear, ahead ay99 201-7429276

**Fuse Accommodation Quantity:**

1

**Accommodated Fuse Length:**

1.250 inches

**Accommodated Ferrule Diameter:**

0.250 inches

**Resistor Rating:**

2050.0 ohms

**Indicating Lamp Voltage Range In Volts:**

+81.0/+90.0

**Length From Front Protrusion To Mounting Surface:**

0.830 inches

**Center To Center Distance Between Outside Mounting Holes Along Length:**

0.750 inches

**Center To Center Distance Between Outside Mounting Holes Along Width:**

0.875 inches

**Bushing Hole Diameter:**

0.875 inches

**Center To Center Distance Between Keyway And Bushing Hole:**

0.437 inches

**Screw Thread Diameter:**

0.164 inches

**Screw Thread Qty Per Inch (tpi):**

32.0

**Current Carrying Rating In Amps:**

30.0

**Fuse Terminal Type Accommodated:**

Ferrule

**Voltage In Volts:**

90.0

**Test Data Document:**

81349-mil-prf-19207 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Terminal Type And Quantity:**

2 threaded stud

**Specification Data:**

81349-mil-prf-19207/19 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A014a0

**Mil-std (military Standard):**

Mil-prf-19207 spec.