NSN 5920-01-580-9169

Cartridge Fuse - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5920-01-580-9169 **Body Style:** Tube type **Terminal Surface Treatment:** Copper alloy **Overall Length:** 1.250 inches **Overall Diameter:** 0.250 inches **Case Material:** Ceramic and plastic **Continuous Current Rating In Amps:** 15.000 **Maximum Voltage Rating In Volts:** 250.0 ac **Interruption Indicator Method:** Opaque body **End Application:** Rq-4a **Features Provided:** Renewable fusible element **Circuit Over-current Interruption Delay Time In Seconds:** 12.0 200 pct of current rating **Short-circuit/interrupt Current Rating In Amps:** 15000.0 **Test Data Document:** 81349-mil-f-23419/9 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Specification Data:** 81349-mil-prf-23419/9 government specification Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

Fiig:

A01700

Mil-std (military Standard):

Mil-prf-23419 spec.