

View Online at <https://aerobasegroup.com/nsn/5920-01-600-9097>

**Body Material:**

Plastic, polyester, mil-m-14, type mai-60

**Body Style:**

Panel mounted type

**Overall Length:**

2.0 inches

**Overall Height:**

2.09 inches

**Overall Width:**

1.81 inches

**Mounting Hole Diameter:**

0.138 inches

**Mounting Hole Quantity:**

2

**Panel Thickness:**

0.187 inches

**Environmental Protection:**

Watertight

**Mounting Hole Style:**

Panel mounting w/2 or 3 holes

**Lens Color:**

Amber

**Contact Material:**

Any acceptable

**Contact Surface Treatment:**

Any acceptable

**Interruption Indicator Method:**

Neon lamp

**Fuse Accommodation Quantity:**

2

**Accommodated Fuse Length:**

1.25 inches

**Accommodated Ferrule Diameter:**

0.25 inches

**Resistor Rating:**

330.0 ohms

**Length From Front Protrusion To Mounting Surface:**

1.0 inches

**Cap Diameter:**

0.625 inches

**Mounting Hole Height:**

1.594 inches

**Mounting Hole Width:**

1.375 inches

**Center To Center Distance Between Outside Mounting Holes Along Length:**

1.78 inches

**Center To Center Distance Between Outside Mounting Holes Along Width:**

0.88 inches

**Screw Thread Diameter:**

0.64 inches

**Screw Thread Qty Per Inch (tpi):**

32.0

**Current Carrying Rating In Amps:**

30.0

**Fuse Terminal Type Accommodated:**

Ferrule

**Product Name:**

Fuseholder, extractor post type, blown fuse indicating, type fh133w

**Voltage In Volts:**

33.0

**Special Features:**

Indicating: one lamp, each pole; poles: 2; mounting hardware: screw: panhead 6-32 unc-2a with sealing washer; nut: 6-32unc-2b hex; threaded metal insert may be used instead of nut

**Terminal Type And Quantity:**

4 threaded stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A014a0