

View Online at <https://aerobasegroup.com/nsn/5920-01-615-7104>

Body Style:

Dual plug type

Overall Length:

1.18 inches

Overall Height:

0.938 inches

Overall Width:

1.81 inches

Mounting Hole Diameter:

0.156 inches

Mounting Hole Quantity:

2

Mounting Hole Style:

2 bushing mounting w/2 holes

Contact Material:

Brass

Fuse Accommodation Quantity:

2

Center To Center Distance Between Outside Mounting Holes Along Width:

0.974 inches

Bushing Hole Diameter:

0.875 inches

Center To Center Distance Between Bushing Holes:

0.800 inches

Center To Center Distance Between Keyway And Bushing Hole:

0.400 inches

Screw Thread Diameter:

8.0 inches

Screw Thready Qty Per Inch (tpi):

32.0

Current Carrying Rating In Amps:

30.0

Internal Circuit Configuration And Pole Quantity:

2 pole, mainline, fused

Fuse Terminal Type Accommodated:

Ferrule w/threaded stud

Product Name:

Fuse, carrier

Voltage In Volts:

100.0

Special Features:

Panel thickness: 0.125 inches, indicating: incandescent lamp number 1764. Terminals: threaded stud type, number 8-32unc-2a. Enclosure: dripproof. Temperature rise: f03a125v30a. Short circuit: f03a125v30a. Terminal strength: 20 pounds, salt spray corrosion: test condition b. Mechanical shock: method i

Terminal Type And Quantity:

2 ferrule w/threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A014a0