

View Online at <https://aerobasegroup.com/nsn/5920-01-644-4286>

**Body Material:**

Plastic

**Terminal Quantity:**

3

**Terminal Type:**

Connector, plug and wire lead

**Overall Depth:**

5.0 inches

**Overall Height:**

2.0 inches

**Overall Width:**

3.0 inches

**Mounting Method:**

Case

**End Application:**

4940-01-551-2884; an/tsm-214a

**Usage Design:**

Indoor

**Usage Design:**

Protect wireless access points from damaging power transients and surges. Protect data lines for both line-to-line and ground-to-line surges

**Mounting Configuration:**

Freestanding, may be mounted via clamping device

**Breakdown Voltage:**

60.0 volts

**Unpackaged Unit Weight:**

0.218 pounds

**Product Name:**

Power over ethernet surge protector, 60-volt

**Special Features:**

Pins 1, 2, 3, and 6: peak pulse current 10/100 waveform: 132 amps protection differential and common mode response time <5 ns shunt capacitance () <25 pf standard clamping voltage 7.5 volts pins 4, 5, 7, and 8: peak pulse current 10/100 waveform: sp075a: 50 amps; protection differential and common mode, line to ground response time <5 ns standard clamping voltage 60 volts

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T214-c