NSN 5925-00-007-7767

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-007-7767 **Overall Length:** 10.125 inches **Overall Height: 4.312 inches** Overall Width: 5.500 inches **Case Material:** Plastic **Pole Quantity: Mounting Facility Type And Quantity:** 4 threaded hole Thready Qty Per Inch (tpi): 32 **Maximum Continuous Load Current Rating Per Pole:** 225.0 amperes ac and 225.0 amperes dc all locations **Operating Voltage Type And Rating Per Pole In Volts:** 600.0 ac and 250.0 dc all locations **Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:** 15000.0 ac all locations and 1000.0 dc all locations **Circuit Protection Type:** Overcurrent all locations **Trip Release Method:** Thermal-magnetic all locations **Trip Release Characteristic:** Time delay all locations **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 135.0 all locations **Reset Method:** Manual **Main Contact Tripping Mechanism Type: Manual Actuator Type And Quantity:** 1 toggle **Actuator Function:** Trip-reset **Actuator Position Designation:** Between pole one and two

Thread Size:

0.164 inches

Trip Delay Time In Seconds Per Rated Continuous Current:

170.000 at 200 pct and 460.000 at 200 pct all locations

NSN 5925-00-007-7767

Circuit Breaker - Page 2 of 2



Inclosure Protection Type For Which Designed:
Fungus resistant
Trip Release Ambient Tempurature Rating:
40.0 degrees celsius all locations
Frequency In Hertz:
60.0 all locations
Thread Series Designator:
Unc
Terminal Type And Quantity:
4 compression
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A030a0