

View Online at <https://aerobasegroup.com/nsn/5925-00-008-0550>

Body Style:

Single pole type

Overall Length:

Between 1.995 inches and 2.005 inches

Body Width:

Between 0.775 inches and 0.786 inches

Case Material:

Metal

Center To Center Distance Between Terminals Parallel To Length:

Between 0.673 inches and 0.683 inches

Unthreaded Mounting Hole Diameter:

Between 0.215 inches and 0.225 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 1.557 inches and 1.567 inches

Fragility Factor:

Moderately rugged

Mounting Surface To Terminal End Distance:

Between 1.365 inches and 1.375 inches

Pole Quantity:

1

Mounting Facility Type And Quantity:

2 unthreaded hole

Storage Type:

General purpose warehouse

Maximum Continuous Load Current Rating Per Pole:

15.0 amperes dc single location

Operating Voltage Type And Rating Per Pole In Volts:

24.0 dc single location

Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

1000.0 dc single location

Circuit Protection Type:

Overcurrent single location

Trip Release Method:

Thermal single location

Trip Release Characteristic:

Instantaneous single location

Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

125.0 single location

Reset Method:

Automatic

Internal Trip Release Configuration:

Series trip single location

Inclosure Protection Type For Which Designed:

Hermetically sealed

Trip Release Ambient Temperature Rating:

25.0 degrees celsius single location

Terminal Type And Quantity:

2 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0