NSN 5925-00-089-2946

Circuit Breaker Tripper - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-089-2946

Body Style:
Rectangular dimensional envelope
Overall Length:
8.500 inches
Overall Height:
6.688 inches
Overall Width:
4.250 inches
Pole Quantity:
3
Mounting Facility Type And Quantity:
6 terminal
Storage Type:
General purpose warehouse
Features Provided:
Adjustable trip release
Maximum Continuous Load Current Rating Per Pole:
160.0 amperes ac all locations
Operating Voltage Type And Rating Per Pole In Volts:
500.0 ac all locations
Circuit Protection Type:
Overcurrent all locations
Trip Release Method:
Thermal-magnetic all locations
Trip Release Characteristic:
Instantaneous and time delay all locations
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
150.0 all locations
Ultimate Trip Time Per Pole In Seconds:
1200.000 all locations
Adjustable Trip Setting Current Range Per Pole In Amps:
+2020.0/+3420.0 ac all locations
Internal Trip Release Configuration:
Series trip all locations
Trip Delay Time In Seconds Per Rated Continuous Current:
300.000 at 200 pct all locations and 900.000 at 200 pct all locations
Trip Release Ambient Tempurature Rating:
50.0 degrees celsius all locations
Frequency In Hertz:
400.0 all locations
Terminal Type And Quantity:
6 pin

NSN 5925-00-089-2946

Circuit Breaker Tripper - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0