NSN 5925-00-153-4505

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-153-4505

Overall Length:

- 2.188 inches
- **Overall Height:**
- 2.875 inches

Overall Width:

0.750 inches

Case Material:

Plastic

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.813 inches

Pole Quantity:

1

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

2 threaded hole

Thready Qty Per Inch (tpi):

32

Maximum Continuous Load Current Rating Per Pole:

25.0 amperes dc single location

Operating Voltage Type And Rating Per Pole In Volts:

30.0 dc single location

Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

2000.0 dc single location

Circuit Protection Type:

Overcurrent single location

Trip Release Method:

Magnetic single location

Trip Release Characteristic:

Time delay single location

Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

138.0 single location

Reset Method:

Manual

Main Contact Tripping Mechanism Type:

Trip free

Manual Actuator Type And Quantity:

1 toggle

Actuator Function:

Reset

Thread Size:

0.138 inches

NSN 5925-00-153-4505

Circuit Breaker - Page 2 of 2



Trip Delay Time In Seconds Per Rated Continuous Current: 10.000 at 200 pct single location and 100.000 at 200 pct single location Inclosure Protection Type For Which Designed: Dustproof **Trip Release Ambient Tempurature Rating:** 25.0 degrees celsius single location **Thread Series Designator:** Unc Terminal Type And Quantity: 2 screw Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A030a0