

View Online at <https://aerobasegroup.com/nsn/5925-00-159-0267>

**Overall Length:**

6.000 inches

**Overall Height:**

3.968 inches

**Overall Width:**

1.375 inches

**Case Material:**

Plastic

**Unthreaded Mounting Hole Diameter:**

0.188 inches

**Pole Quantity:**

1

**Arc Quenching Method:**

Deion

**Mounting Facility Type And Quantity:**

2 unthreaded hole

**Maximum Continuous Load Current Rating Per Pole:**

25.0 amperes ac single location and 25.0 amperes dc single location

**Operating Voltage Type And Rating Per Pole In Volts:**

125.0 ac single location and 125.0 dc single location

**Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:**

5000.0 ac single location and 5000.0 dc single location

**Circuit Protection Type:**

Overcurrent single location

**Trip Release Method:**

Thermal single location

**Trip Release Characteristic:**

Time delay single location

**Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:**

122.0 single location

**Reset Method:**

Manual

**Main Contact Tripping Mechanism Type:**

Trip free

**Manual Actuator Type And Quantity:**

1 toggle

**Trip Delay Time In Seconds Per Rated Continuous Current:**

150.000 at 125 pct single location and 3600.000 at 125 pct single location and 18.000 at 200 pct single location and 105.000 at 200 pct single location and 7.500 at 300 pct single location and 26.000 at 300 pct single location

**Trip Release Ambient Temperature Rating:**

25.0 degrees celsius single location

**Special Features:**

Mtg holes diagonallyspaced on 0.812 in. By 4.843 in. Centers

**Precious Material:**

Silver

**Terminal Type And Quantity:**

2 threaded stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A030a0