# NSN 5925-00-173-7634

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-173-7634

- Single pole type
- **Overall Length:**
- 3.156 inches

# Body Width:

1.875 inches

#### **Case Material:**

Plastic

#### Center To Center Distance Between Terminals Parallel To Length:

1.062 inches

# Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

2.406 inches

#### **Pole Quantity:**

1

#### Mounting Facility Type And Quantity:

2 threaded hole

#### Thready Qty Per Inch (tpi):

32

#### Maximum Continuous Load Current Rating Per Pole:

135.0 amperes dc single location

#### **Operating Voltage Type And Rating Per Pole In Volts:**

30.0 dc single location

#### Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

900.0 dc single location

#### **Circuit Protection Type:**

Overcurrent single location

#### Trip Release Method:

Thermal single location

#### **Trip Release Characteristic:**

Time delay single location

#### Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

125.0 single location

#### **Reset Method:**

Automatic

#### Main Contact Tripping Mechanism Type:

Trip free

### Internal Trip Release Configuration:

Series trip single location

# Thread Size:

0.190 inches

### Trip Delay Time In Seconds Per Rated Continuous Current:

20.000 at 200 pct single location

# NSN 5925-00-173-7634

Circuit Breaker - Page 2 of 2



# Trip Release Ambient Tempurature Rating:

77.0 degrees fahrenheit single location

Thread Series Designator:

Unf

Terminal Type And Quantity:

2 screw

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A030a0