NSN 5925-00-173-7888

Circuit Breaker - Page 1 of 2



view Online at https://aerobasegroup.com/hsh/b925-00-175-7666
Pole Quantity:
1
Mounting Facility Type And Quantity:
2 threaded hole
Features Provided:
Adjustable trip release
Thready Qty Per Inch (tpi):
32
Maximum Continuous Load Current Rating Per Pole:
500.0 milliamperes ac single location and 500.0 milliamperes dc single location
Operating Voltage Type And Rating Per Pole In Volts:
230.0 ac single location and 230.0 dc single location
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
230.0 ac single location and 230.0 dc single location
Circuit Protection Type:
Overcurrent single location
Trip Release Method:
Magnetic single location
Reset Method:
Manual
Main Contact Tripping Mechanism Type:
Trip free
Manual Actuator Type And Quantity:
1 push button
Actuator Function:
Trip-reset
Actuator Position Designation:
At pole one
Internal Trip Release Configuration:
Series trip single location
Thread Size:
0.190 inches
Frequency In Hertz:
60.0 single location
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

NSN 5925-00-173-7888

Circuit Breaker - Page 2 of 2



Fiig:

A030a0