## NSN 5925-00-194-8170

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-194-8170

view Online at https://aerobasegroup.com/nsn/5925-00-194-8170
Body Style:
Single pole type
Overall Length:
2.000 inches
Body Width:
1.250 inches
Case Material:
Plastic
Center To Center Distance Between Terminals Parallel To Length:
0.906 inches
Unthreaded Mounting Hole Diameter:
0.190 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.574 inches
Mounting Surface To Terminal End Distance:
1.266 inches
Pole Quantity:
1
Mounting Facility Type And Quantity:
2 unthreaded hole
Maximum Continuous Load Current Rating Per Pole:
2.0 amperes dc single location
Operating Voltage Type And Rating Per Pole In Volts:
30.0 dc single location
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
600.0 dc single location
Circuit Protection Type:
Overcurrent single location
Trip Release Method:
Thermal single location
Trip Release Characteristic:
Time delay single location
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
125.0 single location
Reset Method:
Manuai
Main Contact Tripping Mechanism Type:
Trip free
Internal Trip Release Configuration:
Series trip single location
Trip Delay Time In Seconds Per Rated Continuous Current:
7.000 at 200 pct single location and 70.000 at 200 pct single location

# NSN 5925-00-194-8170

Circuit Breaker - Page 2 of 2



#### Trip Release Ambient Tempurature Rating:

77.0 degrees fahrenheit single location

#### Terminal Type And Quantity:

2 tab w/screw

Shelf Life:

N/a

### Unit Of Measure:

--

### Demilitarization:

No

Fiig:

A030a0