NSN 5925-00-202-7857



Circuit Breaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5925-00-202-7857 **Body Style:** Multipole-single actuator type **Body Length:** 7.000 inches **Body Width:** 4.500 inches **Body Height:** 2.656 inches **Case Material: Plastic Center To Center Distance Between Terminals Parallel To Length:** 5.750 inches **Center To Center Distance Between Terminals Parallel To Width:** 1.500 inches **Unthreaded Mounting Hole Diameter:** 0.281 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: **5.750** inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.500 inches **Boss Height:** 0.406 inches **Pole Quantity: Mounting Facility Type And Quantity:** 4 unthreaded hole Storage Type: General purpose warehouse **Maximum Continuous Load Current Rating Per Pole:** 225.0 amperes ac all locations Operating Voltage Type And Rating Per Pole In Volts: 240.0 ac all locations Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps: 10000.0 ac all locations **Circuit Protection Type:** Overcurrent all locations

Trip Release Method: Thermal-magnetic all locations **Trip Release Characteristic:** Instantaneous all locations **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:**

150.0 all locations

NSN 5925-00-202-7857 Circuit Breaker - Page 2 of 2



Reset Method:
Manual
Main Contact Tripping Mechanism Type:
Trip free
Manual Actuator Type And Quantity:
1 toggle
Actuator Function:
Trip-reset
Actuator Position Designation:
Between pole one and two
Inclosure Protection Type For Which Designed:
Fungus resistant
Trip Release Ambient Tempurature Rating:
40.0 degrees celsius all locations
Frequency In Hertz:
60.0 all locations
Terminal Type And Quantity:
6 compression
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Filg:
A030a0