## NSN 5925-00-227-0383

Circuit Breaker Tripper - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-227-0383

Body Style:						
Rectangular dimensional envelope						
Overall Length:						
4.500 inches						
Overall Height:						
3.625 inches						
Overall Width:						
3.875 inches						
Pole Quantity:						
3						
Mounting Facility Type And Quantity:						
6 terminal						
Features Provided:						
Adjustable trip release						
Maximum Continuous Load Current Rating Per Pole:						
50.0 amperes ac all locations						
Operating Voltage Type And Rating Per Pole In Volts:						
500.0 ac all locations						
Circuit Protection Type:						
Overcurrent all locations						
Trip Release Method:						
Thermal-magnetic all locations						
Trip Release Characteristic:						
Instantaneous all locations and time delay all locations						
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:						
125.0 all locations						
Manual Actuator Type And Quantity:						
1 toggle						
Actuator Function:						
Trip-reset						
Actuator Position Designation:						
At each pole						
Adjustable Trip Setting Current Range Per Pole In Amps:						
+600.0/+700.0 ac all locations						
Trip Delay Time In Seconds Per Rated Continuous Current:						
3600.000 at 150 pct all locations						
Trip Release Ambient Tempurature Rating:						
50.0 degrees celsius all locations						
Frequency In Hertz:						
400.0 all locations						
Terminal Type And Quantity:						

6 screw

## NSN 5925-00-227-0383

Circuit Breaker Tripper - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A030a0