NSN 5925-00-234-0121

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-234-0121

## **Body Style:**

Rectangular dimensional envelope

## **Overall Length:**

2.850 inches

# **Overall Height:**

1.515 inches

## **Overall Width:**

1.890 inches

#### **Case Material:**

Metal

# Pole Quantity:

3

#### Mounting Facility Type And Quantity:

4 threaded stud

## Thready Qty Per Inch (tpi):

32

## Maximum Continuous Load Current Rating Per Pole:

9.0 amperes dc third location

## **Operating Voltage Type And Rating Per Pole In Volts:**

240.0 ac first location

## Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

500.0 dc third location

## Circuit Protection Type:

Overcurrent all locations

#### **Trip Release Method:**

Magnetic all locations

#### **Trip Release Characteristic:**

Time delay all locations

## Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

125.0 all locations

#### **Reset Method:**

Automatic

#### Internal Trip Release Configuration:

Series trip all locations

#### **Thread Size:**

0.138 inches

## Trip Delay Time In Seconds Per Rated Continuous Current:

0.055 at 200 pct all locations and 0.095 at 200 pct all locations

# Inclosure Protection Type For Which Designed:

Hermetically sealed

**Frequency In Hertz:** 

400.0 all locations

# NSN 5925-00-234-0121

Circuit Breaker - Page 2 of 2

**Thread Series Designator:** 

Unc

Terminal Type And Quantity:

6 wire hook

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0

