NSN 5925-00-241-9774

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-241-9774

Overall Length:
6.000 inches
Overall Height:
3.969 inches
Overall Width:
4.125 inches
Case Material:
Plastic
Unthreaded Mounting Hole Diameter:
0.188 inches
Pole Quantity:
3
Mounting Facility Type And Quantity:
6 unthreaded hole
Maximum Continuous Load Current Rating Per Pole:
35.0 amperes ac all locations and 35.0 amperes dc all locations
Operating Voltage Type And Rating Per Pole In Volts:
250.0 ac all locations and 250.0 dc all locations and 125.0 dc all locations
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
5000.0 ac all locations and 5000.0 dc all locations
Circuit Protection Type:
Overcurrent all locations
Trip Release Method:
Thermal all locations
Trip Release Characteristic:
Time delay all locations
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
120.0 all locations
Reset Method:
Manual
Main Contact Tripping Mechanism Type:
Trip free
Manual Actuator Type And Quantity:
1 toggle
Actuator Function:
Trip-reset
Trip Delay Time In Seconds Per Rated Continuous Current:
3600.000 at 125 pct all locations and 110.000 at 200 pct all locations and 23.000 at 300 pct all locations
Trip Release Ambient Tempurature Rating:
25.0 degrees celsius all locations
Terminal Type And Quantity:
6 screw

NSN 5925-00-241-9774

Circuit Breaker - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0

