# NSN 5925-00-248-1109

Circuit Breaker Tripper - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5925-00-248-1109

### **Body Style:**

Rectangular dimensional envelope

**Overall Length:** 

4.594 inches

## **Overall Height:**

3.531 inches

#### **Overall Width:**

3.844 inches

**Pole Quantity:** 

2

#### Mounting Facility Type And Quantity:

2 terminal

#### Features Provided:

Adjustable trip release

## Maximum Continuous Load Current Rating Per Pole:

75.0 amperes dc all locations

## **Operating Voltage Type And Rating Per Pole In Volts:**

250.0 dc all locations

### **Circuit Protection Type:**

Overcurrent all locations

### Trip Release Method:

Thermal-magnetic all locations

#### **Trip Release Characteristic:**

Instantaneous all locations and time delay all locations

## Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

175.0 all locations

## Adjustable Trip Setting Current Range Per Pole In Amps:

+450.0/+525.0 dc all locations

#### Trip Delay Time In Seconds Per Rated Continuous Current:

420.000 at 200 pct all locations and 1500.000 at 200 pct all locations

#### Trip Release Ambient Tempurature Rating:

50.0 degrees celsius all locations

#### **Terminal Type And Quantity:**

4 screw

#### Shelf Life:

N/a

### Unit Of Measure:

--

### Demilitarization:

No

Fiig:

A030a0