# NSN 5925-00-248-1431

Circuit Breaker Tripper - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5925-00-248-1431

### **Body Style:**

Rectangular dimensional envelope

**Overall Length:** 

5.625 inches

## **Overall Height:**

3.750 inches

#### **Overall Width:**

4.500 inches

**Pole Quantity:** 

3

#### Mounting Facility Type And Quantity:

#### 6 terminal

Maximum Continuous Load Current Rating Per Pole:

100.0 amperes ac all locations

**Operating Voltage Type And Rating Per Pole In Volts:** 

### 500.0 ac all locations

**Circuit Protection Type:** 

Overcurrent all locations

#### **Trip Release Method:**

Thermal-magnetic all locations

## **Trip Release Characteristic:**

Instantaneous all locations and time delay all locations

## Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

150.0 all locations

### Ultimate Trip Time Per Pole In Seconds:

5400.000 all locations

# Trip Delay Time In Seconds Per Rated Continuous Current:

10.000 at 200 pct all locations and 240.000 at 200 pct all locations

# Trip Release Ambient Tempurature Rating:

50.0 degrees celsius all locations

## Frequency In Hertz:

60.0 all locations

# Terminal Type And Quantity:

6 eyelet

Shelf Life:

N/a

### Unit Of Measure:

---

# Demilitarization:

No

Fiig:

A030a0