

View Online at <https://aerobasegroup.com/nsn/5925-00-258-4084>

**Pole Quantity:**

1

**Mounting Facility Type And Quantity:**

2 threaded hole

**Features Provided:**

Adjustable trip release

**Thready Qty Per Inch (tpi):**

32

**Maximum Continuous Load Current Rating Per Pole:**

500.0 milliamperes ac single location and 500.0 milliamperes dc single location

**Operating Voltage Type And Rating Per Pole In Volts:**

230.0 ac single location and 230.0 dc single location

**Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:**

230.0 ac single location and 230.0 dc single location

**Circuit Protection Type:**

Overcurrent single location

**Trip Release Method:**

Magnetic single location

**Reset Method:**

Manual

**Main Contact Tripping Mechanism Type:**

Trip free

**Adjustable Trip Setting Current Range Per Pole In Amps:**

+0.5/+2.0 ac single location and +0.5/+2.0 dc single location

**Internal Trip Release Configuration:**

Series trip single location

**Thread Size:**

0.190 inches

**Frequency In Hertz:**

60.0 single location

**Thread Series Designator:**

Unf

**Terminal Type And Quantity:**

6 threaded stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A030a0