NSN 5925-00-265-9487

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-265-9487

Overall Length:

- 9.000 inches
- **Overall Height:**
- 3.500 inches

Overall Width:

4.875 inches

Case Material:

Metal

Pole Quantity:

2

Mounting Facility Type And Quantity:

4 threaded hole

Thready Qty Per Inch (tpi):

32

Maximum Continuous Load Current Rating Per Pole:

50.0 amperes ac all locations

Operating Voltage Type And Rating Per Pole In Volts:

240.0 ac second location

Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

5000.0 ac all locations

Circuit Protection Type:

Overcurrent all locations

Trip Release Method:

Thermal all locations

Trip Release Characteristic:

Time delay all locations

Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

115.0 all locations

Reset Method:

Manual

Main Contact Tripping Mechanism Type:

Trip free

Manual Actuator Type And Quantity:

1 toggle

Actuator Function:

Trip-reset

Thread Size:

0.138 inches

Trip Delay Time In Seconds Per Rated Continuous Current:

252.000 at 125 pct all locations and 20.000 at 200 pct all locations and 50.000 at 200 pct all locations and 6.000 at 300 pct all locations and 10.000 at 200 pct all locations

and 10.000 at 300 pct all locations

Trip Release Ambient Tempurature Rating:

75.0 degrees fahrenheit all locations

NSN 5925-00-265-9487

Circuit Breaker - Page 2 of 2

Frequency In Hertz:

60.0 all locations

Thread Series Designator:

Unc

Terminal Type And Quantity:

4 screw

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0

