NSN 5925-00-270-5997

Circuit Breaker Tripper - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-270-5997 **Body Style:** Rectangular dimensional envelope **Overall Length: 7.750** inches **Overall Height:** 3.000 inches **Overall Width:** 4.375 inches **Pole Quantity: Mounting Facility Type And Quantity:** 6 terminal **Features Provided:** Adjustable trip release **Maximum Continuous Load Current Rating Per Pole:** 150.0 amperes ac all locations **Operating Voltage Type And Rating Per Pole In Volts:** 600.0 ac all locations **Circuit Protection Type:** Overcurrent all locations **Trip Release Method:** Thermal-magnetic all locations **Trip Release Characteristic:** Instantaneous all locations and time delay all locations **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 122.0 all locations Adjustable Trip Setting Current Range Per Pole In Amps: +500.0/+1500.0 ac all locations **Trip Delay Time In Seconds Per Rated Continuous Current:** 108.000 at 200 pct all locations and 500.000 at 200 pct all locations **Trip Release Ambient Tempurature Rating:** 40.0 degrees celsius all locations Frequency In Hertz: 60.0 all locations **Terminal Type And Quantity:** 6 eyelet Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 5925-00-270-5997 Circuit Breaker Tripper - Page 2 of 2



Fiig:

A030a0