## NSN 5925-00-283-6526

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-283-6526

Overall Length:
3.719 inches
Overall Height:
3.766 inches
Overall Width:
0.990 inches
Case Material:
Plastic
Pole Quantity:
1
Mounting Facility Type And Quantity:
2 threaded hole
Thready Qty Per Inch (tpi):
32
Maximum Continuous Load Current Rating Per Pole:
20.0 amperes dc single location
Operating Voltage Type And Rating Per Pole In Volts:
30.0 dc single location
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
4000.0 dc single location
Circuit Protection Type:
Overcurrent single location
Trip Release Method:
Magnetic single location
Trip Release Characteristic:
Time delay single location
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
125.0 single location
Reset Method:
Automatic
Thread Size:
0.138 inches
Trip Delay Time In Seconds Per Rated Continuous Current:
285.000 at 125 pct single location and 45.000 at 200 pct single location and 16.000 at 300 pct single location
Inclosure Protection Type For Which Designed:
Shockproof and vibrationproof
Thread Series Designator:
Unc
Terminal Type And Quantity:
2 threaded stud
Shelf Life:
N/a

## NSN 5925-00-283-6526

Circuit Breaker - Page 2 of 2



		• •			
ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A030a0