NSN 5925-00-350-4481

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-350-4481
Overall Length:
2.000 inches
Overall Height:
1.266 inches
Overall Width:
1.250 inches
Case Material:
Plastic
Unthreaded Mounting Hole Diameter:
0.187 inches
Pole Quantity:
1
Mounting Facility Type And Quantity:
2 unthreaded hole
Maximum Continuous Load Current Rating Per Pole:
25.0 amperes ac single location and 25.0 amperes dc single location
Operating Voltage Type And Rating Per Pole In Volts:
15.0 ac single location and 15.0 dc single location and 30.0 ac single location and 30.0 dc single location
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
900.0 ac single location and 900.0 dc single location
Circuit Protection Type:
Overcurrent single location
Trip Release Method:
Thermal single location
Trip Release Characteristic:
Time delay single location
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
125.0 single location
Reset Method:
Automatic
Trip Delay Time In Seconds Per Rated Continuous Current:
3600.000 at 125 pct single location and 30.000 at 200 pct single location
Inclosure Protection Type For Which Designed:
Moisture resistant and dustproof
Trip Release Ambient Tempurature Rating:
25.0 degrees celsius single location
Terminal Type And Quantity:
2 screw
Specification Or Standard:
2 type and b grade and 1 class
Shelf Life:

N/a

NSN 5925-00-350-4481

Circuit Breaker - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A030a0

