

View Online at <https://aerobasegroup.com/nsn/5925-00-350-4481>

**Overall Length:**

2.000 inches

**Overall Height:**

1.266 inches

**Overall Width:**

1.250 inches

**Case Material:**

Plastic

**Unthreaded Mounting Hole Diameter:**

0.187 inches

**Pole Quantity:**

1

**Mounting Facility Type And Quantity:**

2 unthreaded hole

**Maximum Continuous Load Current Rating Per Pole:**

25.0 amperes ac single location and 25.0 amperes dc single location

**Operating Voltage Type And Rating Per Pole In Volts:**

15.0 ac single location and 15.0 dc single location and 30.0 ac single location and 30.0 dc single location

**Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:**

900.0 ac single location and 900.0 dc single location

**Circuit Protection Type:**

Overcurrent single location

**Trip Release Method:**

Thermal single location

**Trip Release Characteristic:**

Time delay single location

**Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:**

125.0 single location

**Reset Method:**

Automatic

**Trip Delay Time In Seconds Per Rated Continuous Current:**

3600.000 at 125 pct single location and 30.000 at 200 pct single location

**Inclosure Protection Type For Which Designed:**

Moisture resistant and dustproof

**Trip Release Ambient Temperature Rating:**

25.0 degrees celsius single location

**Terminal Type And Quantity:**

2 screw

**Specification Or Standard:**

2 type and b grade and 1 class

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A030a0