## NSN 5925-00-399-5982

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-399-5982

Overall Length:
2.188 inches
Overall Height:
2.688 inches
Overall Width:
0.750 inches
Pole Quantity:
1
Mounting Facility Type And Quantity:
Thd bushing
Thready Qty Per Inch (tpi):
32
Maximum Continuous Load Current Rating Per Pole:
25.0 amperes ac single location
Operating Voltage Type And Rating Per Pole In Volts:
115.0 ac single location
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
1200.0 ac single location
Circuit Protection Type:
Overcurrent single location
Trip Release Method:
Thermal single location
Trip Release Characteristic:
Time delay single location
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
138.0 single location
Reset Method:
Manual
Main Contact Tripping Mechanism Type:
Trip free
Manual Actuator Type And Quantity:
1 push-pull
Actuator Function:
Trip-reset
Thread Size:
0.138 inches
Trip Delay Time In Seconds Per Rated Continuous Current:
10.000 at 200 pct single location and 100.000 at 200 pct single location and 10.000 at 400 pct single location and 3600.000 at 138 pct
single location
Trip Release Ambient Tempurature Rating:
25.0 degrees celsius single location
Special Features:

Red band visible in trip position

## NSN 5925-00-399-5982

Circuit Breaker - Page 2 of 2



Frequency in Hertz:
400.0 single location
Thread Series Designator:
Unc
Terminal Type And Quantity:
2 screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A030a0