NSN 5925-00-399-5983



Circuit Breaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5925-00-399-5983 **Overall Length:** 2.188 inches **Overall Height:** 2.688 inches Overall Width: 0.750 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 1.813 inches **Pole Quantity: Arc Quenching Method:** Air **Mounting Facility Type And Quantity:** 2 threaded hole Thready Qty Per Inch (tpi): 32 **Maximum Continuous Load Current Rating Per Pole:** 35.0 amperes ac single location **Operating Voltage Type And Rating Per Pole In Volts:** 115.0 ac single location Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps: 1200.0 ac single location **Circuit Protection Type:** Overcurrent single location **Trip Release Method:** Magnetic single location **Trip Release Characteristic:** Time delay single location **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 138.0 single location **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Trip free **Manual Actuator Type And Quantity:** 1 push-pull **Actuator Function:**

Reset

Thread Size:

0.138 inches

Trip Delay Time In Seconds Per Rated Continuous Current:

10.000 at 200 pct single location and 100.000 at 200 pct single location

NSN 5925-00-399-5983

Circuit Breaker - Page 2 of 2



Trip Release Ambient Tempurature Rating:
25.0 degrees celsius single location
Special Features:
Luminescent red band visible in trip position
Frequency In Hertz:
400.0 single location
Thread Series Designator:
Unc
Terminal Type And Quantity:
2 screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A030a0