NSN 5925-00-402-0577

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-402-0577

Body Length:

Between 3.020 inches and 3.060 inches

Body Width:

Between 2.950 inches and 2.990 inches

Body Height:

Between 2.359 inches and 2.389 inches

Case Material:

Plastic

Center To Center Distance Between Terminals Parallel To Width:

Between 0.997 inches and 1.003 inches

Boss Height:

0.187 inches

Pole Quantity:

2

Mounting Facility Type And Quantity:

2 terminal and 1 clip

Storage Type:

General purpose warehouse

Maximum Continuous Load Current Rating Per Pole:

100.0 amperes ac all locations

Operating Voltage Type And Rating Per Pole In Volts:

240.0 ac all locations

Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

10000.0 ac all locations

Circuit Protection Type:

Overcurrent all locations

Trip Release Method:

Magnetic all locations

Trip Release Characteristic:

Time delay all locations

Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

125.0 all locations

Reset Method:

Manual

Main Contact Tripping Mechanism Type:

Trip free

Manual Actuator Type And Quantity:

2 toggle

Actuator Function:

Trip-reset

Actuator Position Designation:

At each pole

NSN 5925-00-402-0577

Circuit Breaker - Page 2 of 2

No Fiig: A030a0



External Actuator Linkage Arrangement:
One and two linked
Internal Trip Release Configuration:
Series trip all locations
Trip Delay Time In Seconds Per Rated Continuous Current:
32.000 at 200 pct all locations and 140.000 at 200 pct all locations
Frequency In Hertz:
60.0 all locations
Terminal Type And Quantity:
2 compression and 2 clip
Shelf Life:
N/a
Unit Of Measure:
Demilitarization: