# NSN 5925-00-450-6344

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-450-6344

#### **Body Style:**

Single pole type

# **Mounting Slot Width:**

0.375 inches

# **Body Length:**

6.000 inches

#### **Body Width:**

1.375 inches

# **Body Height:**

3.375 inches

#### **Case Material:**

#### Plastic

Center To Center Distance Between Terminals Parallel To Length:

#### 5.063 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

#### 4.500 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.000 inches

#### **Fragility Factor:**

Moderately rugged

#### **Boss Height:**

0.125 inches

#### **Pole Quantity:**

1

#### Arc Quenching Method:

Magnetic blowout

#### Mounting Facility Type And Quantity:

4 slot

#### Storage Type:

General purpose warehouse

#### Maximum Continuous Load Current Rating Per Pole:

20.0 amperes ac single location and 20.0 amperes dc single location

#### **Operating Voltage Type And Rating Per Pole In Volts:**

277.0 ac single location and 125.0 dc single location

#### Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

15000.0 ac single location and 5000.0 dc single location

#### Circuit Protection Type:

Overcurrent single location

#### **Trip Release Method:**

Thermal-magnetic single location

# **Trip Release Characteristic:**

Instantaneous single location and time delay single location

# NSN 5925-00-450-6344

Circuit Breaker - Page 2 of 2



Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

125.0 single location

#### **Reset Method:**

Manual

Main Contact Tripping Mechanism Type:

Trip free

Manual Actuator Type And Quantity:

1 toggle

**Actuator Function:** 

Trip-reset

Actuator Position Designation:

At pole one

Trip Delay Time In Seconds Per Rated Continuous Current:

120.000 at 200 pct single location

Inclosure Protection Type For Which Designed:

General purpose

**Trip Release Ambient Tempurature Rating:** 

40.0 degrees celsius single location

**Frequency In Hertz:** 

60.0 single location

**Terminal Type And Quantity:** 

2 compression

Shelf Life:

N/a

# Unit Of Measure:

---

#### Demilitarization:

No

Fiig:

A030a0