# NSN 5925-00-450-6370

Circuit Breaker Tripper - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5925-00-450-6370

## Body Style:

Rectangular dimensional envelope

#### **Overall Length:**

13.094 inches

## **Overall Height:**

4.062 inches

#### **Overall Width:**

8.125 inches

#### **Unthreaded Mounting Hole Diameter:**

0.312 inches

#### **Pole Quantity:**

3

#### Mounting Facility Type And Quantity:

4 unthreaded hole

#### Maximum Continuous Load Current Rating Per Pole:

300.0 amperes ac all locations and 300.0 amperes dc all locations

## **Operating Voltage Type And Rating Per Pole In Volts:**

600.0 ac all locations and 250.0 dc all locations

#### Circuit Protection Type:

Overcurrent all locations

#### Trip Release Method:

Thermal-magnetic all locations

### **Trip Release Characteristic:**

Time delay all locations

## Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

135.0 all locations

## Trip Delay Time In Seconds Per Rated Continuous Current:

90.000 at 200 pct all locations and 450.000 at 200 pct all locations

## Trip Release Ambient Tempurature Rating:

40.0 degrees celsius all locations

#### Frequency In Hertz:

400.0 all locations

#### **Terminal Type And Quantity:**

6 compression

#### Shelf Life:

N/a

#### Unit Of Measure:

--

## Demilitarization:

No

Fiig:

A030a0