NSN 5925-00-450-6370



Circuit Breaker Tripper - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5925-00-450-6370 **Body Style:** Rectangular dimensional envelope Overall Length: 13.094 inches **Overall Height:** 4.062 inches **Overall Width:** 8.125 inches **Unthreaded Mounting Hole Diameter:** 0.312 inches **Pole Quantity: Mounting Facility Type And Quantity:** 4 unthreaded hole **Maximum Continuous Load Current Rating Per Pole:** 300.0 amperes ac all locations and 300.0 amperes dc all locations **Operating Voltage Type And Rating Per Pole In Volts:** 600.0 ac all locations and 250.0 dc all locations **Circuit Protection Type:** Overcurrent all locations **Trip Release Method:** Thermal-magnetic all locations **Trip Release Characteristic:** Time delay all locations **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 135.0 all locations **Trip Delay Time In Seconds Per Rated Continuous Current:** 90.000 at 200 pct all locations and 450.000 at 200 pct all locations **Trip Release Ambient Tempurature Rating:** 40.0 degrees celsius all locations Frequency In Hertz: 400.0 all locations **Terminal Type And Quantity:** 6 compression Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No

Fiig:

A030a0